SUBJECT INDEX

Abrasive fabric constructions, p. 123
Adhesion test procedure, p. 123
Adhesives in nonwovens, p. 199
Air entangled yarns, p. 123
Air textured yarn, p. 123
Antistatic behavior, p. 264
Application areas of waterborne polyurethanes, p. 39
Aqueous polyurethane dispersions, p. 39
Blow ratio, p. 151
Breaking/tensile strength, p. 123
Coating application processes, p. 191
Coating—polyurethane, p. 147
Coating—PVC, p. 147
Core spun yarn, p. 123
Cotton, pp. 25, 102
Crosslinking waterborne polyurethanes, pp. 39, 114
Crosslinking agent, p. 264
Crystallinity, p. 199
Dry form nonwovens, p. 258
Dry pigment, p. 216
Emulsifiers, p. 39
False twisted yarn, p. 123
Flame retardant coated fabrics, p. 92
Foam agents, p. 151
Foam application, p. 252
Foam applicator unit, p. 151
Foam finishing, pp. 151, 252
Foam stability, p. 151
Fourier transform infrared spectroscopy, (FTIR), p. 25
Halogenated flame retardants, p. 92
Handling of chemicals, p. 159
Hazardous chemicals regulations, p. 159
High speed disc impeller, p. 216
Hot melt laminator, p. 191
Industrial fabrics, pp. 252, 239
Infrared, p. 25
Knit fabrics, p. 239
Laminated products, p. 191
Liquid silicone rubbers, p. 11
Low viscosity mixing, p. 216
Mechanical adhesion, p. 123
Melt viscosity, p. 199
Moisture, p. 102
Multifilament yarn, p. 123
Non-conventional applications of coatings, p. 225
Nonwoven coated products, p. 258
Nonwoven laminated products, p. 258
Nonwoven fabrics, pp. 199, 258
Open end yarn, p. 123
Organic pigments, p. 216
Peel strength, p. 199
Permanent size, p. 25
Photoacoustic, p. 25
Physical properties of waterborne polyurethanes, p. 39
Pigment dispersion, p. 216
Plied yarn, p. 123
Pollution control, p. 171
Polyacrylate, p. 25
Polyester adhesives, p. 199
Polyester fabric substrates, p. 123
Polyethylene glycols, p. 264
Polymer, p. 25
Polyurethane, p. 25
Power adhesives, p. 199
Power laminator, p. 191
Ring spun yarn, p. 123
Rotary screens, p. 252

(continued)

(subject index continued)
Shrinkage, p. 123
Silicones, p. 11
Sizing agents, p. 25
Spun bonded nonwovens, p. 258
Solvent emission control, p. 171
Solvent recovery, p. 171
Solvent recycling, p. 171
Steaming, p. 102
Storage of chemicals, p. 159
Substrates for coating, p. 239
Swelling agent, p. 102
Tear, p. 123
Textiles, p. 199
Thermally active fabrics, p. 264
Thermal storage, p. 264
Trimethylol melamine, p. 102
Urethane coatings, p. 114
Warp knitted substrates, p. 239
Waterborne polyurethane oligomers, p. 39
Waterborne urethanes, p. 114
Weft insertion, p. 239
Weft knitted substrates, p. 239
Wet-fixation, p. 102
Wet form nonwovens, p. 258

AUTHOR INDEX

Avril, M. W., p. 225
Awe, R. W., p. 11
Black, J. D., p. 123
Bruno, J. S., p. 264
Eichert, U., p. 147
Haddad, R. H., p. 123
Haile, W. A., p. 199
Harper, R. J., Jr., p. 102
Holser, R. A., p. 102
Kiezulas, M. P., p. 159
Lambert, A. H., p. 102
Lewis, P. A., p. 216
McConnell, R. L., p. 199
Meierhoefer, A. W., p. 258
Meyer, M. F., p. 199
Mischutin, V., p. 92
Moreau, J. P., p. 25
Morris, N. M., p. 25
Nachtkamp, K., p. 39
Oakes, D. W., p. 171
Paquette, M. T., p. 159
Petke, F. D., p. 199
Rossitto, C., p. 190
Rosthauser, J. W., p. 39
Swihart, T. J., p. 11
Trimble, G. T., Jr., p. 151
Tsirovasiles, J. C., p. 114
Tyskwicz, p. 114
Vigo, T. L., p. 264
Weinberg, J. H., p. 159
Winterbottom, M., p. 151
Wustrow, K. D., p. 239
Zimmer, R. J. P., p. 252